

Concentrated WeedEx
Weed Control for Lawns II
Liquid

DOMESTIC

NET CONTENTS: 1 L

Weed Control for Your Lawn
Many Broadleaf Weeds

READ THE LABEL BEFORE USING

GUARANTEE:

| | |
|--|-------------|
| 2,4-D (present as dimethylamine salt) | 95 g a.e./L |
| Mecoprop-P (present as dimethylamine salt) | 50 g a.e. |
| Dicamba (present as dimethylamine salt) | 9 g a.e./L |

PROTECT FROM FREEZING
KEEP OUT OF REACH OF CHILDREN

REG. NO. 28204 P.C.P. ACT

Superior Control Products Inc.
3715 Lafayette (E)
Boisbriand, QC J7H 1S4
(250) 924-8080

DIRECTIONS FOR USE:

Weeds Controlled: Dandelion, Plantain, Black Medick (yellow clover), Buttercup, Chickweed, Clover, English Daisy, Ground Ivy (Creeping Charlie), Knotweed (ironweed), Poison Ivy, Ragweed, Shepherd's Purse, Bedstraw, Heal-All, Devil's Paintbrush.

Turf: (Other than Bentgrass). On established turf, apply at a rate of 60 mL in 5 L of water per 50 m². For best results, apply when weeds are growing quickly, May and early June and late August and September. On irrigated or watered areas where weeds are not under drought stress and hard to kill, apply any time. Application during drought or when weeds are under stress will result in poorer control.

MAXIMUM APPLICATION FREQUENCY TO TURF: DO NOT apply more than two broadcast applications per season. This does not include spot treatments. This product is only effective when applied to the leaves of actively growing weeds. This product will not prevent new weeds – apply only when weeds are present. If weed populations do not warrant a broadcast application (e.g. entire lawn), consider spot treatments that target only weedy areas.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contacting skin, eyes and clothing. Wash hands after using. Do not store near seeds, fertilizers, insecticides or fungicides. DO NOT directly spray, or allow the spray drift to contact ornamentals, gardens or exposed tree roots. Spray injurious to many cultivated species. Do not apply when rain is expected or when winds are gusty. Do not water within 24 hours of spraying. Do not use on Bent grasses. Do not use same sprayer for other uses. Do not apply on newly seeded lawns until after third mowing. Grass seed can be safely sown 1-2 weeks after application at recommended rate. DO NOT apply to this product to any body of water. DO NOT contaminate irrigation/drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

PROTECTIVE CLOTHING: Wear long sleeved shirt, long pants, socks, shoes and chemical resistant (e.g. rubber) gloves.

OPERATOR USE PRECAUTIONS:

Rinse gloves before removal. Wash hands before eating, drinking, using tobacco or using the toilet. If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing. Remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water, then shower. Re-use gloves for pesticide application only.

RE-ENTRY INTERVAL: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

FIRST AID: IF IN EYES, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

ENVIRONMENTAL HAZARDS: TOXIC to broadleaf terrestrial plants. This product may harm other broadleaf plants in the vicinity of the treatment area.

Toxic to birds.

Toxic to small wild mammals.

Toxic to aquatic organisms and non-target terrestrial plants.

LEACHING: The use of this chemical may result in contamination of groundwater particularly in areas where soils are permeable (e.g. sandy soil) and/or the depth to the water table is shallow.

RUN-OFF: To reduce run-off from treated areas into aquatic habitats, avoid application to areas with a moderate to steep slope, compacted soil, or clay. Avoid application of this product when heavy rainfall is forecast. Contamination of aquatic areas as a result of run-off may be reduced by including a strip of untreated vegetation between the treated area and the edge of the water body.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not re-use empty container. Wrap in newspaper and dispose of empty container with household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.